

PCMH Standards and Guidelines

Table of Contents

| | |
|---|----|
| <u>Team-Based Care and Practice Organization (TC)</u> | 31 |
| <u>Competency A</u> | 31 |
| <u>TC 01 PCMH Transformation Leads</u> | 31 |
| <u>TC 02 Structure and Staff Responsibilities</u> | 31 |
| <u>TC 03 External PCMH Collaborations</u> | 32 |
| <u>TC 04 Patient/Family/Caregiver Involvement in Governance</u> | 32 |
| <u>TC 05 Certified EHR System</u> | 32 |
| <u>Competency B</u> | 33 |
| <u>TC 06 Individual Patient Care Meetings/Communication</u> | 33 |
| <u>TC 07 Staff Involvement in Quality Improvement</u> | 33 |
| <u>TC 08 Behavioral Health Care Manager</u> | 33 |
| <u>Competency C</u> | 34 |
| <u>TC 09 Medical Home Information</u> | 34 |
| <u>Knowing and Managing Your Patients (KM)</u> | 35 |
| <u>Competency A</u> | 35 |
| <u>KM 01 Problem Lists</u> | 35 |
| <u>KM 02 Comprehensive Health Assessment</u> | 36 |
| <u>KM 03 Depression Screening</u> | 38 |
| <u>KM 04 Behavioral Health Screenings</u> | 39 |
| <u>KM 05 Oral Health Assessment and Services</u> | 41 |
| <u>KM 06 Predominant Conditions and Concerns</u> | 42 |
| <u>KM 07 Social Determinants of Health</u> | 42 |
| <u>KM 08 Patient Materials</u> | 43 |
| <u>Competency B</u> | 44 |
| <u>KM 09 Diversity</u> | 44 |
| <u>KM 10 Language</u> | 44 |
| <u>KM 11 Population Needs</u> | 45 |
| <u>Competency C</u> | 46 |
| <u>KM 12 Proactive Reminders</u> | 46 |
| <u>KM 13 Excellence in Performance</u> | 46 |
| <u>Competency D</u> | 47 |
| <u>KM 14 Medication Reconciliation</u> | 47 |
| <u>KM 15 Medication Lists</u> | 47 |
| <u>KM 16 New Prescription Education</u> | 47 |
| <u>KM 17 Medication Responses and Barriers</u> | 48 |
| <u>KM 18 Controlled Substance Database Review</u> | 48 |
| <u>KM 19 Prescription Claims Data</u> | 48 |
| <u>Competency E</u> | 49 |
| <u>KM 20 Clinical Decision Support</u> | 49 |
| <u>Competency F</u> | 51 |
| <u>KM 21 Community Resource Needs</u> | 51 |
| <u>KM 22 Access to Educational Resources</u> | 51 |
| <u>KM 23 Oral Health Education</u> | 52 |
| <u>KM 24 Shared Decision-Making Aids</u> | 52 |
| <u>KM 25 School/Intervention Agency Engagement</u> | 52 |
| <u>KM 26 Community Resource List</u> | 53 |
| <u>KM 27 Community Resource Assessment</u> | 53 |
| <u>KM 28 Case Conferences</u> | 53 |

Table of Contents

| | |
|---|----|
| <u>Patient-Centered Access and Continuity (AC)</u> | 54 |
| <u>Competency A</u> | 54 |
| <u>AC 01 Access Needs and Preferences</u> | 54 |
| <u>AC 02 Same-Day Appointments</u> | 54 |
| <u>AC 03 Appointments Outside Business Hours</u> | 55 |
| <u>AC 04 Timely Clinical Advice by Telephone</u> | 56 |
| <u>AC 05 Clinical Advice Documentation</u> | 56 |
| <u>AC 06 Alternative Appointments</u> | 57 |
| <u>AC 07 Electronic Patient Requests</u> | 57 |
| <u>AC 08 Two-Way Electronic Communication</u> | 57 |
| <u>AC 09 Equity of Access</u> | 58 |
| <u>Competency B</u> | 59 |
| <u>AC 10 Personal Clinician Selection</u> | 59 |
| <u>AC 11 Patient Visits with Clinician/Team</u> | 59 |
| <u>AC 12 Continuity of Medical Record Information</u> | 59 |
| <u>AC 13 Panel Size Review and Management</u> | 60 |
| <u>AC 14 External Panel Review and Reconciliation</u> | 60 |
| <u>Care Management and Support (CM)</u> | 61 |
| <u>Competency A</u> | 61 |
| <u>CM 01 Identifying Patients for Care Management</u> | 61 |
| <u>CM 02 Monitoring Patients for Care Management</u> | 62 |
| <u>CM 03 Comprehensive Risk-Stratification Process</u> | 63 |
| <u>Competency B</u> | 63 |
| <u>CM 04 Person-Centered Care Plans</u> | 63 |
| <u>CM 05 Written Care Plans</u> | 63 |
| <u>CM 06 Patient Preferences and Goals</u> | 64 |
| <u>CM 07 Patient Barriers to Goals</u> | 64 |
| <u>CM 08 Self-Management Plans</u> | 65 |
| <u>CM 09 Care Plan Integration</u> | 65 |
| <u>Care Coordination and Care Transitions (CC)</u> | 66 |
| <u>Competency A</u> | 66 |
| <u>CC 01 Lab and Imaging Test Management</u> | 66 |
| <u>CC 02 Newborn Screenings</u> | 67 |
| <u>CC 03 Appropriate Use for Labs and Imaging</u> | 67 |
| <u>Competency B</u> | 68 |
| <u>CC 04 Referral Management</u> | 68 |
| <u>CC 05 Appropriate Referrals</u> | 69 |
| <u>CC 06 Commonly Used Specialists Identification</u> | 70 |
| <u>CC 07 Performance Information for Specialist Referrals</u> | 70 |
| <u>CC 08 Specialist Referral Expectations</u> | 70 |
| <u>CC 09 Behavioral Health Referral Expectations</u> | 71 |
| <u>CC 10 Behavioral Health Integration</u> | 71 |
| <u>CC 11 Referral Monitoring</u> | 72 |
| <u>CC 12 Co-Management Arrangements</u> | 72 |
| <u>CC 13 Treatment Options and Costs</u> | 72 |

Table of Contents


| | |
|---|----|
| <u>Competency C</u> | 73 |
| <u>CC 14 Identifying Unplanned Hospital and ED Visits</u> | 73 |
| <u>CC 15 Sharing Clinical Information</u> | 73 |
| <u>CC 16 Post-Hospital/ED Visit Follow-up</u> | 73 |
| <u>CC 17 Acute Care After Hours Coordination</u> | 74 |
| <u>CC 18 Information Exchange During Hospitalization</u> | 74 |
| <u>CC 19 Patient Discharge Summaries</u> | 74 |
| <u>CC 20 Care Plan Collaboration for Practice Transitions</u> | 74 |
| <u>CC 21 External Electronic Exchange of Information</u> | 76 |
| <u>Performance Measurement and Quality Improvement (QI)</u> | 77 |
| <u>Competency A</u> | 77 |
| <u>QI 01 Clinical Quality Measures</u> | 77 |
| <u>QI 02 Resource Stewardship Measures</u> | 77 |
| <u>QI 03 Appointment Availability Assessment</u> | 78 |
| <u>QI 04 Patient Experience Feedback</u> | 78 |
| <u>QI 05 Health Disparities Assessment</u> | 79 |
| <u>QI 06 Validated Patient Experience Survey Use</u> | 80 |
| <u>QI 07 Vulnerable Patient Feedback</u> | 80 |
| <u>Competency B</u> | 81 |
| <u>QI 08 Goals and Actions to Improve Clinical Quality Measures</u> | 81 |
| <u>QI 09 Goals and Actions to Improve Resource Stewardship Measures</u> | 82 |
| <u>QI 10 Goals and Actions to Improve Appointment Availability</u> | 82 |
| <u>QI 11 Goals and Actions to Improve Patient Experience</u> | 83 |
| <u>QI 12 Improved Performance</u> | 83 |
| <u>QI 13 Goals and Actions to Improve Disparities in Care/Service</u> | 83 |
| <u>QI 14 Improved Performance for Disparities in Care/Service</u> | 83 |
| <u>Competency C</u> | 84 |
| <u>QI 15 Reporting Performance within the Practice</u> | 84 |
| <u>QI 16 Reporting Performance Publicly or with Patients</u> | 84 |
| <u>QI 17 Patients/Family Caregiver Involvement in Quality Improvement</u> | 84 |
| <u>QI 18 Reporting Performance Measures to Medicare/Medicaid</u> | 85 |
| <u>QI 19 Value-Based Contract Agreements</u> | 85 |

Team-Based Care and Practice Organization (TC)


The practice provides continuity of care, communicates roles and responsibilities of the medical home to patients/families/caregivers, and organizes and trains staff to work to the top of their license and provide effective team-based care.

Competency A: The practice is committed to transforming the practice into a sustainable medical home. Members of the care team serve specific roles as defined by the practice’s organizational structure and are equipped with the knowledge and training necessary to perform those functions.

TC 01 (Core) PCMH Transformation Leads: Designates a clinician lead of the medical home and a staff person to manage the PCMH transformation and medical home activities.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>The practice identifies the clinician lead <i>and</i> the transformation manager (the person leading the PCMH transformation). This may be the same person. The practice provides details including the person’s name, credentials and roles/responsibilities.</p> <p>PCMH transformation is successful when there is support from a clinician lead. Their support sets the tone for how the practice will function as a medical home. The intent is to ensure that the practice has clinician and leadership support to implement the PCMH model and to acknowledge the role of staff in the practice’s everyday operations.</p> | <ul style="list-style-type: none"> • Details about the clinician lead <p>AND</p> <ul style="list-style-type: none"> • Details about the PCMH manager <div style="text-align: center; margin-top: 20px;">  </div> |

TC 02 (Core) Structure and Staff Responsibilities: Defines practice’s organizational structure and staff responsibilities/skills to support key PCMH functions.

| GUIDANCE | EVIDENCE |
|---|---|
| <p>The practice provides an overview of practice staff; an outline of duties the staff are expected to execute as part of the medical home; and how the practice will support and train staff to complete these duties.</p> <p>Structured tasks and stated staff responsibilities enable a practice to ensure that staff are providing efficient medical care and have training for the skills necessary to support medical home functions.</p> | <ul style="list-style-type: none"> • Staff structure overview <p>AND</p> <ul style="list-style-type: none"> • Description of staff roles, skills and responsibilities <div style="text-align: center; margin-top: 20px;">  </div> |


[Table of Contents](#)




= Evidence sharable across practice sites

TC Competency A


TC 03 (1 Credit) External PCMH Collaborations: The practice is involved in external PCMH-oriented collaborative activities (e.g., federal/state initiatives, health information exchanges).

| GUIDANCE | EVIDENCE |
|--|---|
| <p>The practice demonstrates involvement in at least one state or federal initiative (e.g., CPC+, care management learning collaborative led by the state, two-way data exchange with a local health information exchange; population-based care or learning collaborative) or participates in a health information exchange.</p> <p>The practice recognizes the value of participation in external collaboration and has the support of leadership to implement collaborative activities.</p> | <ul style="list-style-type: none"> • Description of involvement in external collaborative activity <div style="text-align: center; margin-top: 20px;">  </div> |


TC 04 (2 Credits) Patients/Families/Caregivers Involvement in Governance: Patients/families/caregivers are involved in the practice’s governance structure or on stakeholder committees.

| GUIDANCE | EVIDENCE |
|--|--|
| <p>The practice demonstrates involvement by:</p> <ul style="list-style-type: none"> • Giving patients/families/caregivers a role in the practice’s governance structure or Board of Directors. • Organizing a patient and family advisory council (i.e., stakeholder committee). <p>At a minimum, the process specifies how patients/families/caregivers are selected for participation, their role and frequency of meetings.</p> <p>Patients are more than consumers in their care, they are partners. Involving patients/families/caregivers in the practice’s governance can provide additional input to improve patient services and help engage patients in the care they receive from the practice.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

TC 05 (2 Credits) Certified EHR System: The practice uses a certified electronic health record technology system (CEHRT).

| GUIDANCE | EVIDENCE |
|---|--|
| <p>The practice enters the name of the electronic system(s) implemented in the practice. Only systems the practice is actively using should be entered.</p> <p>Use of an EHR can increase productivity, reduce paperwork and enable the practice to provide patient care more efficiently.</p> <p>https://chpl.healthit.gov/#/search</p> | <ul style="list-style-type: none"> • Certified electronic health record system (EHR) name <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)

 = Evidence sharable across practice sites

TC Competency B

Competency B: Communication among staff is organized to ensure that patient care is coordinated, safe and effective.


| TC 06 (Core) Individual Patient Care Meetings/Communication: Has regular patient care team meetings or a structured communication process focused on individual patient care. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The practice maintains a structured communication process, sharing information about patients, care needs, concerns for the day and other information that encourages efficient patient care and practice flow. The process may include tasks or messages in the medical record, regular email exchanges, or notes on the schedule about a patient and the roles of the clinician or team leader and others in the communication process.</p> <p>Consistent care-team meetings (such as huddles) provide a forum for practice staff to communicate about upcoming appointments, patient needs and workflow updates.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="display: flex; align-items: center;"> <p>Documented process only</p> </div> |
| TC 07 (Core) Staff Involvement in Quality Improvement: Involves care team staff in the practice's performance evaluation and quality improvement activities. | |
| GUIDANCE | EVIDENCE |
| <p>The documented process for quality improvement activities includes a description of staff roles and staff involvement in the performance evaluation and improvement process.</p> <p>Improving quality outcomes involves all members of the practice staff and care team. Engaging the team to review and evaluate the practice's performance is important to identifying opportunities for improvement and developing meaningful improvement activities.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="display: flex; align-items: center;"> </div> |
| TC 08 (2 Credits) Behavioral Health Care Manager: Has at least one care manager qualified to identify and coordinate behavioral health needs. | |
| GUIDANCE | EVIDENCE |
| <p>The practice identifies the behavioral healthcare manager and provides their qualifications. The care manager has the training to support behavioral healthcare needs in the primary care office and coordinates referrals to specialty behavioral health services outside the practice.</p> <p>The practice demonstrates that it is working to provide meaningful behavioral healthcare services to its patients by employing a care manager who is qualified to address patients' behavioral health needs.</p> | <ul style="list-style-type: none"> • Identified behavioral healthcare manager <div style="display: flex; align-items: center;"> </div> |

[Table of Contents](#)

= Evidence sharable across practice sites

TC Competency C

Competency C: The practice communicates and engages patients on expectations and their role in the medical home model of care.

| TC 09 (Core) Medical Home Information: Has a process for informing patients/families/caregivers about the role of the medical home and provides patients/families/caregivers materials that contain the information. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The documented process includes providing patients/families/caregivers with information about the role and responsibilities of the medical home. The practice is encouraged to provide the information in multiple formats, to accommodate patient preference and language needs.</p> <p>The information that the practice provides should at minimum include information on after-hours access, practice scope of services, evidence-based care, availability of education and self-management support and practice points of contact.</p> <p>As a medical home, the practice helps patients understand the importance of having comprehensive information about all their healthcare activity and how and where to access the care they need coordinated by their personal clinician and care team.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)

 = Evidence sharable across practice sites

Knowing and Managing Your Patients (KM)

The practice captures and analyzes information about the patients and community it serves and uses the information to deliver evidence-based care that supports population needs and provision of culturally and linguistically appropriate services.

Competency A: Practice routinely collects comprehensive data on patients to understand the background and health risks of patients. Practice uses information on the population to implement needed interventions, tools and supports for the practice as a whole and for specific individuals.

KM 01 (Core) Problem Lists: Documents an up-to-date problem list for each patient with current and active diagnoses.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>Up-to-date means that the most recent diagnoses—ascertained from previous records, transfer of information from other providers, diagnosis by the clinician, or by querying the patient—are added to the problem list. Report shows patients with a problem list that has been updated at least annually.</p> <p>The patient’s active problem list or diagnoses should include acute and chronic conditions, behavioral health diagnoses and oral health issues, as well as past diagnoses that are relevant to the patient’s current care. Implementing KM 01 is a foundation for understanding health risks.</p> | <ul style="list-style-type: none"> • Report OR • KM 06—predominant conditions and health concerns |

[Table of Contents](#)




= Evidence sharable across practice sites

KM Competency A

KM 02 (Core) Comprehensive Health Assessment: Comprehensive health assessment includes (all items required):

- A. Medical history of patient and family.
- B. Mental health/substance use history of patient and family.
- C. Family/social/cultural characteristics.
- D. Communication needs.
- E. Behaviors affecting health.
- F. Social functioning.
- G. Social determinants of health.
- H. Developmental screening using a standardized tool. (NA for practices with no pediatric population under 30 months of age.)
- I. Advance care planning. (NA for pediatric practices.)


| GUIDANCE | EVIDENCE |
|--|--|
| <p>A comprehensive patient assessment includes an examination of the patient’s social and behavioral influences in addition to a physical health assessment. The practice uses evidence-based guidelines to determine how frequently the health assessments are completed and updated. Comprehensive, current data on patients provides a foundation for supporting population needs.</p> <p>As part of the comprehensive health assessment the practice:</p> <ul style="list-style-type: none"> A. Collects patient and family medical history (e.g., history of chronic disease or event [e.g., diabetes, cancer, surgery, hypertension]) for patient and “first-degree” relatives (i.e., who share about 50% of their genes with a specific family member). B. Collects patient and family behavioral health history (e.g., schizophrenia, stress, alcohol, prescription drug abuse, illegal drug use, maternal depression). C. Evaluates social and cultural needs, preferences, strengths and limitations. Examples include family/household structure, support systems, and patient/family concerns. Broad consideration should be given to a variety of characteristics (e.g., education level, marital status, unemployment, social support, assigned responsibilities). D. Identifies whether a patient has specific communication requirements due to hearing, vision or cognition issues. Note: <i>This does not address language; refer to KM10 for language needs.</i> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <hr/> <p>PCMH PRIME</p> <p>B, E, H: Practices in Massachusetts interested in credit toward PCMH PRIME Certification must also submit a system-generated report with a numerator and denominator based on all unique patients in a recent 3-month period. A practice that does not have the electronic capability to generate this report may submit a documented process and evidence of implementation only.</p> <div style="text-align: right; margin-top: 20px;">  Documented process only </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency A


| KM 02 (Core) Comprehensive Health Assessment (all items required): <i>continued</i> | |
|---|---|
| GUIDANCE | EVIDENCE |
| <p>E. Assesses risky and unhealthy behaviors that go beyond physical activity, alcohol consumption and smoking status and may include nutrition, oral health, dental care, risky sexual behavior and secondhand smoke exposure.</p> <p>F. Assesses a patient’s ability to interact with other people in everyday social tasks and to maintain an adequate social life. May include isolation, declining cognition, social anxiety, interpersonal relationships, activities of independent living, social interactions and so on.</p> <p>G. Collects information on social determinants of health: conditions in a patient’s environment that affect a wide range of health, functioning and quality-of-life outcomes and risks. Examples include availability of resources to meet daily needs; access to educational, economic and job opportunities; public safety, social support; social norms and attitudes; food and housing insecurities; household/environmental risk factors; exposure to crime, violence and social disorder; socioeconomic conditions; residential segregation (Healthy People 2020).</p> <p>H. For newborns through 30 months, uses a standardized tool for periodic developmental screening. If there are no established risk factors or parental concerns, screens are done by 24 months.</p> <p>I. Documents patient/family preferences for advance care planning (i.e., care at the end of life or for patients who are unable to speak for themselves). This may include discussing and documenting a plan of care, with treatment options and preferences. Patients with an advance directive on file meet the requirement.</p> | <ul style="list-style-type: none"> • Documented process AND • Evidence of implementation <hr/> <p>PCMH PRIME</p> <p>B, E, H: Practices in Massachusetts interested in credit toward PCMH PRIME Certification must also submit a system-generated report with a numerator and denominator based on all unique patients in a recent 3-month period. A practice that does not have the electronic capability to generate this report may submit a documented process and evidence of implementation only.</p> <p style="text-align: right;"> Documented process only</p> |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency A

| KM 03 (Core) Depression Screening: Conducts depression screenings for adults and adolescents using a standardized tool. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The documented process includes the practice’s screening process and approach to follow-up for positive screens. The practice reports the screening rate and identifies the standardized screening tool.</p> <p>Screening for adults: Screening adults for depression with systems in place to ensure accurate diagnosis, effective treatment and follow-up.</p> <p>Screening for adolescents (12–18 years): Screening adolescents for depression with systems in place to ensure accurate diagnosis, effective treatment and follow-up.</p> <p>A standardized tool collects information using a current, evidence-based approach that was developed, field-tested and endorsed by a national or regional organization.</p> <p>In caring for the whole person, the medical home recognizes the impact depression can have on a patient’s physical and emotional health. The practice uses a standardized screening tool (e.g., PHQ-9) and acts on the results.</p> | <ul style="list-style-type: none"> • Documented process or • Report <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <hr/> <p>PCMH PRIME</p> <p>Practices in Massachusetts interested in credit toward PCMH PRIME Certification must also submit a system-generated report with a numerator and denominator based on all unique patients in a recent 3-month period. A practice that does not have the electronic capability to generate this report may submit a documented process and evidence of implementation with an explanation.</p> <div style="text-align: center; margin-top: 20px;">  </div> <p style="text-align: center;"><i>Documented process only</i></p> |

[Table of Contents](#)




= Evidence sharable across practice sites

KM Competency A

KM 04 (1 Credit) Behavioral Health Screenings: Conducts behavioral health screenings and/or assessments using a standardized tool. (Implement two or more.)


- A. Anxiety.
- B. Alcohol use disorder.
- C. Substance use disorder.
- D. Pediatric behavioral health screening.
- E. Post-traumatic stress disorder.
- F. Attention deficit/hyperactivity disorder.
- G. Postpartum depression.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>Many patients go undiagnosed and untreated for mental health and substance use disorders. The medical home can play a major role in early identification of these conditions. Practice staff have been trained on the use of standardized tools to ensure accurate diagnosis, treatment and follow-up.</p> <p>A standardized tool collects information using a current, evidence-based approach that was developed, field-tested and endorsed by a national or regional organization.</p> <p>The National Institute on Drug Abuse created a chart of Evidence Based Screening Tools for Adults and Adolescents for opioid screening, as well as alcohol and substance use tools.</p> <p>A. The practice conducts assessment for the presence of emotional distress and symptoms of anxiety using any validated tool (e.g., GAD-2, GAD-7). Anxiety disorders (generalized anxiety disorder, panic disorder and social anxiety disorder) are common, often undetected and misdiagnosed, associated with other psychiatric conditions and linked with medical conditions (e.g., heart disease, chronic pain disorders).</p> <p>B. The USPSTF recommends screening for adults aged 18 years or older for alcohol misuse. Practices may use the Alcohol Use Disorders Identification Test (AUDIT), a screening for excessive drinking, the Drug Abuse Screening Test (DAST), Cutting down, Annoyance by criticism, Guilty feeling and Eye-openers Questionnaire (CAGE) or another validated screening tool. The American Academy of Pediatrics' (AAP) Bright Futures recommends clinicians screen all adolescents for alcohol use during all appropriate acute care visits using developmentally appropriate screening tools. (e.g., CRAFFT or Alcohol Screening and Brief Intervention for Youth).</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <hr/> <p>PCMH PRIME</p> <p>A-C, G: Practices in Massachusetts interested in credit toward PCMH PRIME Certification must also submit a system-generated report with a numerator and denominator based on all unique patients in a recent 3-month period. A practice that does not have the electronic capability to generate this report may submit a documented process and evidence of implementation only.</p> <div style="text-align: right; margin-top: 20px;">  Documented process only </div> |

[Table of Contents](#)



= Evidence sharable across practice sites



| KM 04 (1 Credit) Behavioral Health Screenings: <i>continued</i> | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>C. Assessing for substance use can assist the practice to provide needed treatment, referrals and abstinence tools to address the patient’s substance use concerns. Substance use is a growing issue that is impacting all types of patients. Screening supports early intervention and facilitating patients’ access to the necessary treatments toward sobriety. Available screening tools may include the CAGE AID or DAST-10 instruments, which assess a variety of substance use conditions. Bright Futures recommends clinicians screen all adolescents for substance use during all appropriate acute care visits using developmentally appropriate screening tools. (e.g., CRAFFT or DAST-20).</p> <p>D. Pediatric screening for behavioral health is distinct from adult screening and provides opportunities for early interventions that can have lasting effects over a lifetime. This may include tools such as the Behavioral Assessment System for Children (BASC).</p> <p>E. The practice uses standardized tools to determine if patients have developed PTSD. This condition develops in patients who have experienced a severe and distressing event. This event causes the patient to subsequently re-live the traumatic experience causing mental distress. Assessments for PTSD support the practice in recognizing the ailment so it can either provide treatment or referrals to appropriate specialists.</p> <p>F. ADHD makes it challenging for a person to pay attention and/or control impulsive behaviors. This condition is most commonly diagnosed during childhood but symptoms can persist through adolescence and adulthood. The Vanderbilt Assessment Scale or the DSM V ADHD checklist for adults or children/adolescents are examples of screening tools used to determine if a patient has Attention Deficit/ Hyperactivity Disorder (ADHD). Screening to identify patients with ADHD can lead to earlier diagnosis and treatment and may and reduce the impact of the condition on patients/families/caregivers.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <hr/> <p>PCMH PRIME</p> <p>A-C, G: Practices in Massachusetts interested in credit toward PCMH PRIME Certification must also submit a system-generated report with a numerator and denominator based on all unique patients in a recent 3-month period. A practice that does not have the electronic capability to generate this report may submit a documented process and evidence of implementation only.</p> <div style="display: flex; align-items: center; margin-top: 20px;">  <p><i>Documented process only</i></p> </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency A

| KM 04 (1 Credit) Behavioral Health Screenings: <i>continued</i> | |
|---|---|
| GUIDANCE | EVIDENCE |
| <p>G. The USPSTF recommends screening of adults, including pregnant and postpartum women, for depression. Screening should be implemented with adequate systems in place to ensure accurate diagnosis, effective treatment, and appropriate follow-up. The USPSTF guidelines suggest screening during and after pregnancy. The AAP’s Bright Futures acknowledges that primary care practices that see both infants and their families have a unique opportunity to integrate postpartum depression screening into the well-child care schedule. Validated screening tools may include PHQ-2, PHQ-9 or Edinburgh Postnatal Depression Scale (EPDS) or other validated screening tools, and may be conducted 4–6 weeks postpartum or during the 1-, 2-, 4- or 6-month well-child visits.</p> <p>For a list of screening tools, visit SAMHSA.gov, or for a list of pediatric screening tools, visit the American Academy of Pediatrics website. (https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/Mental-Health/Pages/Primary-Care-Tools.aspx)</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <hr/> <p>PCMH PRIME</p> <p>A-C, G: Practices in Massachusetts interested in credit toward PCMH PRIME Certification must also submit a system-generated report with a numerator and denominator based on all unique patients in a recent 3-month period. A practice that does not have the electronic capability to generate this report may submit a documented process and evidence of implementation only.</p> <div style="text-align: center; margin-top: 20px;">  Documented process only </div> |
| KM 05 (1 Credit) Oral Health Assessment and Services: Assesses oral health needs and provides necessary services during the care visit based on evidence-based guidelines or coordinates with oral health partners. | |
| GUIDANCE | EVIDENCE |
| <p>The practice conducts patient-specific oral health risk assessments and keeps a list of oral health partners such as dentists, endodontists, oral surgeons and/or periodontists from which to refer.</p> <p>Poor oral health can have a significant impact on quality of life and overall health. Primary care practices are uniquely positioned to improve oral health, oral health awareness through education, preventive interventions (e.g. fluoride application for pediatric patients) and timely referrals.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  Documented process only </div> |


[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency A

KM 06 (1 Credit) Predominant Conditions and Concerns: Identifies the predominant conditions and health concerns of the patient population.

| GUIDANCE | EVIDENCE |
|---|--|
| <p>The practice identifies its patients' most prevalent and important conditions and concerns, through analysis of diagnosis codes or problem lists.</p> <p>Although the general conditions treated in primary care are similar across practices, each medical home has a unique population that influences how the practice organizes their work and resources. Knowing its population's top concerns allows the practice to adopt guidelines, focus decision support and outreach efforts, identify specialties to establish clearer referral relationships and determine what special services to offer (e.g., group sessions, education, counseling) that align with those needs.</p> | <ul style="list-style-type: none"> • List of top priority conditions and concerns <div style="text-align: center;">  </div> |

KM 07 (2 Credits) Social Determinants of Health: Understands social determinants of health for patients, monitors at the population level and implements care interventions based on these data.


| GUIDANCE | EVIDENCE |
|---|---|
| <p>After the practice collects information on social determinants of health, it demonstrates the ability to assess data and address identified gaps using community partnerships, self-management resources or other tools to serve the on-going needs of its population.</p> <p>Routine collection of data on social determinants of health (as required in KM 02) is an important step, but the real benefit to the population comes when the practice uses the information to continuously enhance care systems and community connections to systematically address needs.</p> | <ul style="list-style-type: none"> • Report <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency A

| KM 08 (1 Credit) Patient Materials: Evaluates patient population demographics/communication preferences/health literacy to tailor development and distribution of patient materials. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>The practice demonstrates an understanding of the patients' communication needs by utilizing materials and media that are easy for their patient population to understand and use. The practice considers patient demographics such as age, language needs, ethnicity and education when creating materials for its population. The practice may consider how its patients like to receive information (i.e., paper brochure, phone app, text message, email), in addition to the readability of materials (e.g., general literacy and health literacy).</p> <p>Health-literate organizations understand that lack of health literacy leads to poorer health outcomes and compromises patient safety, and establish processes that address health literacy to improve patient health behaviors and safety in the practice setting.</p> <p>Reducing barriers to the patient's ability to access, understand and absorb health information supports their ability to comply with their care.</p> | <ul style="list-style-type: none"> Report <p>AND</p> <ul style="list-style-type: none"> Evidence of implementation  |

[Table of Contents](#)


= Evidence sharable across practice sites

KM Competency B

Competency B: The practice seeks to meet the needs of a diverse patient population by understanding the population’s unique characteristics and language needs. The practice uses this information to ensure linguistic and other patient needs are met.

| KM 09 (Core) Diversity: Assesses the diversity (race, ethnicity, and one other aspect of diversity) of its population. | |
|---|---|
| GUIDANCE | EVIDENCE |
| <p>The practice collects information on how patients identify in at least three areas that include:</p> <ol style="list-style-type: none"> 1. Race. 2. Ethnicity. 3. One other aspect of diversity, which may include, but is not limited to, gender identity, sexual orientation, religion, occupation, geographic residence. <p>Assessing the diversity of its population can help a practice identify segments of the population with specialized needs or subject to systemic barriers leading to disparities in health outcomes. Data may be collected from all patients directly or the practice may use data about the community served by the practice (such as inputting data from zip code analysis or accessing census data from their specific community).</p> | <ul style="list-style-type: none"> • Report |
| KM 10 (Core) Language: Assesses the language needs of its population. | |
| GUIDANCE | EVIDENCE |
| <p>The practice documents in its records whether the patient declined to provide language information, that the primary language is English or that the patient does not need language services. A blank field does not mean the patient’s preferred language is English.</p> <p>Documenting patients’ preferred spoken and written language helps the practice identify the language resources required to serve the population effectively such as materials in prevalent languages, translation services, and availability of bilingual staff. Data may be collected by the practice from all patients directly or may be data about the community served by the practice.</p> | <ul style="list-style-type: none"> • Report |

[Table of Contents](#)




= Evidence sharable across practice sites


KM Competency B

KM 11 (1 Credit) Population Needs: Identifies and addresses population-level needs based on the diversity of the practice and the community (demonstrate at least two):

- A. Targets population health management on disparities in care.
- B. Educates practice staff on health literacy.
- C. Educates practice staff in cultural competence.


| GUIDANCE | EVIDENCE |
|---|---|
| <p>The practice recognizes the varied needs of its population and the community it serves, and uses that information to take proactive, health literate, culturally competent approaches to address those needs.</p> <p>The practice:</p> <ul style="list-style-type: none"> A. Identifies disparities in care and implements actions to reduce the disparity. Practices that reduce disparities provide patient-centered care to their vulnerable populations equal to their general population. B. Builds a health-literate organization (e.g., apply universal precautions, provide health literacy training for staff, system redesign to serve patients at different health literacy levels, utilize the AHRQ or Alliance for Health Reform Health Literacy toolkit). Health-literate organizations understand that lack of health literacy leads to poorer health outcomes and compromises patient safety, and act to establish processes that address health literacy to improve patient outcomes. C. Builds a culturally competent organization that educates staff on how to interact effectively with people of different cultures. It supports practice staff to become respectful and responsive to the health beliefs and cultural and linguistic needs of patients. <p>Health literacy resources</p> <ul style="list-style-type: none"> • Institute of Medicine: Ten Attributes of Health Literate Health Care Organizations http://www.ahealthyunderstanding.org/Portals/0/Documents1/IOM_Ten_Attributes_HL_Paper.pdf • Agency for Healthcare Research & Quality: Health Literacy Universal Precautions Toolkit: http://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthliteracytoolkit.pdf • Alliance for Health Reform Toolkit: http://www.allhealth.org/publications/Private_health_insurance/Health-Literacy-Toolkit_163.pdf | <ul style="list-style-type: none"> • A: Evidence of implementation OR • A: QI 05 and • A: QI 13 • B: Evidence of implementation • C: Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)

 = Evidence sharable across practice sites

KM Competency C

Competency C: The practice proactively addresses the care needs of the patient population to ensure needs are met.

| KM 12 (Core) Proactive Outreach: Proactively and routinely identifies populations of patients and reminds them, or their families/caregivers about needed services (must report at least three categories): | |
|---|---|
| <p>A. Preventive care services. B. Immunizations. C. Chronic or acute care services. D. Patients not recently seen by the practice.</p> | |
| GUIDANCE | EVIDENCE |
| <p>The practice uses lists or reports to manage the care needs of specific patient populations. Using collected data on patients, the practice addresses a variety of health care needs using evidence-based guidelines, including missing recommended follow-up visits. The practice implements this process at least annually to proactively identify and remind patients, or their families/caregivers, before they are overdue for services.</p> | <ul style="list-style-type: none"> • A, B, D: Report/list <i>and</i> • A, B, D: Outreach materials • C: Report/list <i>and</i> • C: Outreach materials <p>OR</p> <ul style="list-style-type: none"> • C: KM 13 <div style="text-align: center; margin-top: 10px;">  </div> |
| KM 13 (2 Credits) Excellence in Performance: Demonstrates excellence in a benchmarked/ performance-based recognition program assessed using evidence-based care guidelines. | |
| GUIDANCE | EVIDENCE |
| <p>At least 75 percent of eligible clinicians have earned NCQA HSRP or DRP Recognition.</p> <p>Alternatively, the practice demonstrates that it is participating in a program that uses a common set of measures to benchmark participant results, has a process to validate measure integrity and publicly reports results. The practice shows (through reports) that clinical performance is above national or regional averages. Examples of programs may include MN Community Measures, Bridges to Excellence, IHA or other performance-based recognition programs.</p> | <ul style="list-style-type: none"> • Report <p>OR</p> <ul style="list-style-type: none"> • HSRP or DRP recognition for at least 75% of eligible clinicians |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency D

Competency D: The practice addresses medication safety and adherence by providing information to the patient and establishing processes for medication documentation, reconciliation and assessment of barriers.



| KM 14 (Core) Medication Reconciliation: Reviews and reconciles medications for more than 80 percent of patients received from care transitions. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>The practice reviews all prescribed medications a patient is taking and documents this in the medical record. Conflicts or potential discrepancies in medications are identified and addressed by clinical staff. Medication review and reconciliation occurs at transitions of care, or at least annually.</p> <p>Maintaining an accurate list of a patient's medications reduces the possibility of duplicate medications, medication errors and adverse drug events. Medication reconciliation is an important safety net for patients received from care transitions, because they are more likely to be elderly, use multiple pharmacies, multiple providers and have co-morbid conditions.</p> <p>Medication reconciliation is the process of obtaining and maintaining an accurate list of all medications a patient is taking and addresses any potential conflicts including name, dosage, frequency and drug-drug interactions.</p> | <ul style="list-style-type: none"> • Report |
| KM 15 (Core) Medication Lists: Maintains an up-to-date list of medications for more than 80 percent of patients. | |
| GUIDANCE | EVIDENCE |
| <p>The practice routinely collects information from patients about medications they take and keeps up-to-date lists of patients' medications. Medication data should be captured in searchable fields. The list should include the date when it was last updated, prescription and nonprescription medications, over-the-counter medications and herbal and vitamin/mineral/dietary (nutritional) supplements.</p> | <ul style="list-style-type: none"> • Report |
| KM 16 (1 Credit) New Prescription Education: Assesses understanding and provides education, as needed, on new prescriptions for more than 50 percent of patients/families/caregivers. | |
| GUIDANCE | EVIDENCE |
| <p>The practice uses patient-centered methods, such as open-ended questions (i.e., teach-back collaborative method), to assess patient understanding. Educational materials are designed with regard to patient need (e.g., reading level). Lack of understanding, due to low health literacy or communication barriers, leads to poorer health outcomes and compromises patient safety.</p> | <ul style="list-style-type: none"> • Report AND • Evidence of implementation |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency D

| KM 17 (1 Credit) Medication Responses and Barriers: Assesses and addresses patient response to medications and barriers to adherence for more than 50 percent of patients, and dates the assessment. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The practice asks patients if they are having difficulty taking a medication, are experiencing side effects and are taking the medication as prescribed. If a patient is not taking a medication as prescribed, the practice determines why.</p> <p>Patients cannot get the full benefit of their medications if they do not take them as prescribed.</p> | <ul style="list-style-type: none"> • Report AND • Evidence of implementation |
| KM 18 (1 Credit) Controlled Substance Database Review: Reviews a controlled substance database when prescribing relevant medications. | |
| GUIDANCE | EVIDENCE |
| <p>The practice consults a state controlled-substance database—also known as a Prescription Drug Monitoring Program (PDMP) or Prescription Monitoring Program (PMP)—before dispensing Schedule II, III, IV and V controlled substances. The practice follows established guidelines or state requirements to determine frequency of review.</p> <p>This can prevent overdoses and misuse, and can support referrals for pain management and substance use disorders.</p> <p>For a list of PDMPs by state: http://www.pdmpassist.org/content/state-pdmp-websites</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |
| KM 19 (2 Credits) Prescription Claims Data: Systematically obtains prescription claims data in order to assess and address medication adherence. | |
| GUIDANCE | EVIDENCE |
| <p>The practice systematically obtains prescription claims data or other medication transaction history. This may include systems such as SureScripts e-prescribing network, regional health information exchanges, insurers or prescription benefit management companies. The practice uses prescription claims data to determine whether a patient is adhering to the medication treatment plan.</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency E

Competency E: The practice incorporates evidence- based clinical decision support across a variety of conditions to ensure effective and efficient care is provided to patients.

KM 20 (Core) Clinical Decision Support: Implements clinical decision support following evidence-based guidelines for care of (Practice must demonstrate at least four criteria):

- A. Mental health condition.
- B. Substance use disorder.
- C. A chronic medical condition.
- D. An acute condition.
- E. A condition related to unhealthy behaviors.
- F. Well child or adult care.
- G. Overuse/appropriateness issues.


| GUIDANCE | EVIDENCE |
|--|--|
| <p>The practice utilizes systems in its day-to-day operations that integrate evidence-based guidelines (frequently referred to as clinical decision support [CDS]). CDS is a systematic method of prompting clinicians to consider evidence-based guidelines at the point of care.</p> <p>CDS encompasses a variety of tools, including, but not limited to:</p> <ul style="list-style-type: none"> • Computerized alerts and reminders for providers and patients. • Condition-specific order sets. • Focused patient data reports and summaries. • Documentation templates. • Diagnostic support. • Contextually relevant reference information. <p>Although CDS may relate to clinical quality measures, measures alone do not achieve the broader goals of CDS.</p> <p>A. Mental health</p> <ul style="list-style-type: none"> • The practice uses evidence-based guidelines to support clinical decisions related to at least one mental health issue (e.g., depression, anxiety, bipolar disorder, ADHD, ADD, dementia, Alzheimer's) in the care of patients. <p>B. Substance use disorder treatment</p> <ul style="list-style-type: none"> • The practice uses evidence-based guidelines to support clinical decisions related to at least one substance misuse issue (e.g., illegal drug use, prescription drug addiction, alcoholism) in the care of patients. | <ul style="list-style-type: none"> • Identifies conditions, source of guidelines <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation |



[Table of Contents](#)



= Evidence sharable across practice sites

| KM 20 (Core) Clinical Decision Support: <i>continued</i> | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>C. A chronic medical condition</p> <ul style="list-style-type: none"> The practice has evidence-based guidelines it uses for clinical decision support related to at least one chronic medical condition (e.g., arthritis, asthma, cardiovascular disease, COPD, diabetes) in the care of patients. <p>D. An acute condition</p> <ul style="list-style-type: none"> The practice uses evidence-based guidelines to support clinical decisions related to at least one acute medical condition (e.g., acute back pain, allergic rhinitis, bronchiolitis, influenza, otitis media, pharyngitis, sinusitis, urinary tract infection) in the care of patients. <p>E. A condition related to unhealthy behaviors</p> <ul style="list-style-type: none"> The practice uses evidence-based guidelines to support clinical decisions related to at least one unhealthy behavior (e.g., obesity, smoking) in the care of patients. <p>F. Well child or adult care</p> <ul style="list-style-type: none"> The practice uses evidence-based guidelines to support clinical decisions related to well-child or adult care (e.g., age appropriate screenings, immunizations) in the care of patients. <p>G. Overuse/appropriateness issues</p> <ul style="list-style-type: none"> The practice uses evidence-based guidelines to support clinical decisions related to overuse or appropriateness of care issues (e.g., use of antibiotics, avoiding unnecessary testing, referrals to multiple specialists) in the care of patients. The American Board of Internal Medicine Foundation's Choosing Wisely campaign provides information about implementing evidence-based guidelines as clinical decision support (http://www.choosingwisely.org). | <ul style="list-style-type: none"> Identifies conditions, source of guidelines AND Evidence of implementation  |



[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency F

Competency F: The practice identifies/ considers and establishes connections to community resources to collaborate and direct patients to needed support.




| KM 21 (Core) Community Resource Needs: Uses information on the population served by the practice to prioritize needed community resources. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The practice identifies needed resources by assessing collected population information. Practice may assess social determinants, predominant conditions, emergency department usage and other health concerns to prioritize community resources (e.g. food banks, support groups) that support the patient population.</p> | <ul style="list-style-type: none"> • List of key patient needs and concerns <div style="text-align: center; margin-top: 10px;">  </div> |
| KM 22 (1 Credit) Access to Educational Resources: Provides access to educational resources, such as materials, peer-support sessions, group classes, online self-management tools or programs. | |
| GUIDANCE | EVIDENCE |
| <p>Giving patients access to educational materials, peer support sessions, group classes and other resources can engage them in their care and teach them better ways to manage it, and help them stay healthy. The practice provides three examples of how it implements these tools for its patients.</p> <ul style="list-style-type: none"> • Educational programs and resources may include information about a medical condition or about the patient’s role in managing the condition. Resources include brochures, handout materials, videos, website links and pamphlets, as well as community resources (e.g., programs, support groups). • Self-management tools enable patients to collect health information at home that can be discussed with the clinician. Patients can track their progress and adjust the treatment or their behavior, if necessary. Such as a practice gives its hypertensive patients a method of documenting daily blood pressure readings. <p>The practice provides or shares available health education classes, which may include alternative approaches such as peer-led discussion groups or shared medical appointments (i.e., multiple patients meet in a group setting for follow-up or routine care). These types of appointments may offer access to a multidisciplinary care team and facilitate patients to interact with and learn from each other.</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency F




| KM 23 (1 Credit) Oral Health Education: Provides oral health education resources to patients. | |
|--|---|
| GUIDANCE | EVIDENCE |
| <p>The practice provides an example of how it provides patients with educational and other resources that pertain to oral health and hygiene. Oral disease is largely preventable with knowledge and attention to hygiene. Poor oral health can complicate the care for chronic conditions such as diabetes and heart disease.</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  </div> |
| KM 24 (1 Credit) Shared Decision-Making Aids: Adopts shared decision-making aids for preference-sensitive conditions. | |
| GUIDANCE | EVIDENCE |
| <p>The care team has, and demonstrates use of, at least three shared decision-making aids that provide detailed information without advising patients to choose one option over another.</p> <p>The care team collaborates with patients to help them make informed decisions that align with their preferences and values. Engaging patients in understanding their health condition and in shared decision making helps build a trusting relationship.</p> <p>More information and resources can be found through the International Patient Decision Aid Standards Collaboration (IPDASC).</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  </div> |
| KM 25 (1 Credit) School/Intervention Agency Engagement: Engages with schools or intervention agencies in the community. | |
| GUIDANCE | EVIDENCE |
| <p>The practice develops supportive partnerships with social services organizations or schools in the community. The practice demonstrates this through formal or informal agreements or identifies practice activities in which community entities are engaged to support better health.</p> | <ul style="list-style-type: none"> • Documented Process AND • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

KM Competency F

| KM 26 (1 Credit) Community Resource List: Routinely maintains a current community resource list based on the needs identified in KM 21. | |
|--|---|
| GUIDANCE | EVIDENCE |
| <p>The practice maintains a community resource list by selecting five topics or community service areas of importance to the patient population. The list includes services offered outside the practice and its affiliates. Include a date to demonstrate that the list is regularly updated or otherwise demonstrate how the list is maintained.</p> <p>Maintaining a current resource list that prioritizes the central needs and concerns of the population can help a practice guide patients to community resources that support their health and well-being from that additional support.</p> | <ul style="list-style-type: none"> • List of resources <div style="text-align: center; margin-top: 20px;">  </div> |
| KM 27 (1 Credit) Community Resource Assessment: Assesses the usefulness of identified community support resources. | |
| GUIDANCE | EVIDENCE |
| <p>The practice assesses the usefulness of resources by requesting and reviewing feedback from patients/families/caregivers about community referrals. Community referrals differ from clinical referrals, but may be tracked using the same system.</p> <p>When a practice's patients have unmet social needs, the practice can refer patients to useful community support resources. Meeting the patient's social needs, supports their self-management and reduces barriers to care.</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |
| KM 28 (2 Credits) Case Conferences: Has regular "case conferences" involving parties outside the practice team (e.g., community supports, specialists). | |
| GUIDANCE | EVIDENCE |
| <p>The practice uses "case conferences" to share information and discuss care plans for high-risk patients with clinicians and others outside its usual care team.</p> <p>Case conferences are planned, multidisciplinary meetings with community organizations or specialists to plan treatment for complex patients.</p> | <ul style="list-style-type: none"> • Documented process AND • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)




= Evidence sharable across practice sites

Patient-Centered Access and Continuity (AC)


The PCMH model expects continuity of care. Patients/families/caregivers have 24/7 access to clinical advice and appropriate care facilitated by their designated clinician/care team and supported by access to their medical record. The practice considers the needs and preferences of the patient population when establishing and updating standards for access.

Competency A: The practice seeks to enhance access by providing appointments and clinical advice based on patients' needs.

AC 01 (Core) Access Needs and Preferences: Assesses the access needs and preferences of the patient population.

| GUIDANCE | EVIDENCE |
|---|--|
| The practice evaluates patient access from collected data (i.e., survey, patient interviews, comment box) to determine if existing access methods are sufficient for its population. Alternative methods for access may include evening/weekend hours, types of appointments or telephone advice. | <ul style="list-style-type: none"> • Documented process AND • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  <i>Documented process only</i> </div> |

AC 02 (Core) Same-Day Appointments: Provides same-day appointments for routine and urgent care to meet identified patient needs.


| GUIDANCE | EVIDENCE |
|--|--|
| The practice reserves time on the daily appointment schedule to accommodate patient requests for a same-day appointment for routine and for urgent care needs. The time frames allocated for these appointment types are determined by the practice and based on the needs of the patient population, as defined in AC 01. The evidence may include a 5-day schedule to demonstrate that appointments are available or a report demonstrating which same-day appointments were used. The evidence may be significant patient-reported satisfaction with access, based on AC 01 data. | <ul style="list-style-type: none"> • Documented process AND • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  <i>Documented process only</i> </div> |

[Table of Contents](#)




= Evidence sharable across practice sites

AC Competency A


| AC 03 (Core) Appointments Outside Business Hours: Provides routine and urgent appointments outside regular business hours to meet identified patient needs. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The practice recognizes that patients’ care needs are not confined to normal operating hours, and therefore offers routine and urgent care appointments outside typical business hours. For example, a practice may open for appointments at 7 a.m. or remain open until 8 p.m. on certain days or open on alternating Saturdays. A documented process is not required if extended hours are provided at the practice site.</p> <p>A practice that cannot provide care outside regular business hours (e.g., a small practice with limited staffing) may arrange for patients to schedule appointments with other facilities or clinicians. The practice may use an urgent care center in the same health system for urgent and routine appointments outside regular business hours, or an urgent care center in the community that has access to patient records.</p> <p>Providing extended access does not include:</p> <ul style="list-style-type: none"> • Offering appointments when the practice would otherwise be closed for lunch. • Offering daytime appointments when the practice would otherwise close early (e.g., a Friday afternoon or holiday). • Utilizing an ER or urgent care facility that is unaffiliated with the practice. | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)


 = Evidence sharable across practice sites

AC Competency A


AC 04 (Core) Timely Clinical Advice by Telephone: Provides timely clinical advice by telephone.

| GUIDANCE | EVIDENCE |
|---|--|
| <p>Patients can telephone the practice any time of the day or night and receive interactive (i.e., from a person, rather than a recorded message) clinical advice. Clinical advice refers to a response to an inquiry regarding symptoms, health status or an acute/chronic condition. Providing advice outside of appointments helps reduce unnecessary emergency room and other utilization. A recorded message referring patients to 911 when the office is closed is not sufficient.</p> <p>Clinicians return calls in a time frame determined by the practice. Clinical advice must be provided by qualified clinical staff, but may be communicated by any member of the care team, as permitted under state licensing laws. NCQA reviews a report summarizing the practice’s expected response times and how it monitors its performance against standards for timely response. The practice must present data on at least 7- days of such calls.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Report <div style="text-align: center;">  </div> |

AC 05 (Core) Clinical Advice Documentation: Documents clinical advice in patient records and confirms clinical advice and care provided after-hours does not conflict with patient medical record.

| GUIDANCE | EVIDENCE |
|--|--|
| <p>The practice documents all clinical advice in the patient record, whether it is provided by phone or by secure electronic message during office hours and when the office is closed. If a practice uses a system of documentation outside the medical record for after-hours clinical advice, or provides for after-hours care without access to the patient’s record, it reconciles this information with the medical record on the next business day. The evidence includes two examples of documenting the clinical advice (1 during office hours and 1 after normal business hours as defined in AC 03).</p> <p>The reconciliation evaluates if clinical advice or care provided after-hours conflicts with advice and care needs previously documented in the medical record and addresses any identified conflicts.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center;">  </div> <p style="text-align: center;"><i>Documented process only</i></p> |

[Table of Contents](#)

 = Evidence sharable across practice sites

AC Competency A

AC 06 (1 Credit) Alternative Appointments: Provides scheduled routine or urgent appointments by telephone or other technology-supported mechanisms.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>The practice uses a mode of real-time communication (e.g., a combination of telephone, video chat, secure instant messaging) in place of a traditional in-person office visit with a clinician or care manager. The practice provides a report of the number and types of visits in a specified time period.</p> <p>Unscheduled alternative clinical encounters, including clinical advice by telephone and secure electronic communication (e.g., electronic message, website) during office hours do not meet the requirement. An appointment with an alternative type of clinician (e.g., diabetic counselor) does not meet the requirement.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Report <div style="display: flex; align-items: center;"> <p><i>Documented process only</i></p> </div> |

AC 07 (1 Credit) Electronic Patient Requests: Has a secure electronic system for patients to request appointments, prescription refills, referrals and test results.

| GUIDANCE | EVIDENCE |
|--|--|
| <p>Patients can use a secure electronic system (e.g., website, patient portal, email) to request appointments, prescription refills, referrals and test results. The practice must demonstrate at least two functionalities or provide patients with guidelines for at least two types of these requests that can be made electronically.</p> <p>Electronic patient requests provide another means to provide access for services meeting patient needs and preferences.</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="display: flex; align-items: center;"> </div> |

AC 08 (1 Credit) Two-Way Electronic Communication: Has a secure electronic system for two-way communication to provide timely clinical advice.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>The practice has a secure, interactive electronic system (e.g., website, patient portal, secure email system) that allows two-way communication between the practice and patients/families/caregivers, as applicable for the patient. The practice can send and receive messages to and from patients.</p> <p>NCQA reviews a report summarizing the practice's expected response times and how it monitors its performance against standards for timely response. The practice must present data on at least 7- days of such activity. The report may be system generated. The practice defines the time frame for a response and monitors the timeliness of responses against the practice's time frame.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Report <div style="display: flex; align-items: center;"> </div> |

[Table of Contents](#)

= Evidence sharable across practice sites

AC Competency A

| AC 09 (1 Credit) Equity of Access: Uses information about the population served by the practice to assess equity of access that considers health disparities. | |
|--|---|
| GUIDANCE | EVIDENCE |
| <p>Knowing whether groups of patients experience differences in access to health care can help practices focus efforts to address the inequity. The practice evaluates whether identified health disparities demonstrate differences in access to care. An example of how a practice may demonstrate this is through a report of how an identified group of patients has lower rates of access to same day appointments, higher no show rates, greater ER use, or lower satisfaction with access than the general patient population.</p> <p>Healthy People 2020 defines health disparity as “a particular type of health difference that is closely linked with social, economic, and/or environmental disadvantage. Health disparities adversely affect groups of people who have systematically experienced greater obstacles to health based on their racial or ethnic group; religion; socioeconomic status; gender; age; mental health; cognitive, sensory, or physical disability; sexual orientation or gender identity; geographic location; or other characteristics historically linked to discrimination or exclusion.”</p> | <ul style="list-style-type: none"> • Evidence of implementation |



[Table of Contents](#)



= Evidence sharable across practice sites

AC Competency B

Competency B: Practices support continuity through empanelment and systematic access to the patient’s medical record.



| AC 10 (Core) Personal Clinician Selection: Helps patients/families/ caregivers select or change a personal clinician. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>Giving patients/families/caregivers a choice of practitioner emphasizes the importance of the ongoing patient-clinician relationship.</p> <p>The practice documents patients’ choice of clinician, gives patients/families/caregivers information about the importance of having a personal clinician and care team responsible for coordinating care, and assists in the selection process. The practice may document a defined pair of clinicians (e.g., physician and nurse practitioner, physician and resident) or a practice team. Single clinician sites automatically meet this criterion.</p> | <ul style="list-style-type: none"> • Documented process <div style="text-align: center; margin-top: 20px;">  </div> |
| AC 11 (Core) Patient Visits with Clinician/Team: Sets goals and monitors the percentage of patient visits with the selected clinician or team. | |
| GUIDANCE | EVIDENCE |
| <p>The practice establishes a goal for the proportion of visits a patient should have with the primary care provider and care team. The goal should acknowledge that meeting patient preferences for timely appointments will sometimes be at odds with the ability to see their selected clinician.</p> <p>Empanelment is assigning individual patients to individual primary care providers and care teams, with sensitivity to patient and family preferences. It is the basis for population health management and the key to continuity of care: Patients can build a better relationship with a clinician or team they see regularly.</p> | <ul style="list-style-type: none"> • Report |
| AC 12 (2 Credits) Continuity of Medical Record Information: Provides continuity of medical record information for care and advice when the office is closed. | |
| GUIDANCE | EVIDENCE |
| <p>The practice makes patient clinical information available to on-call staff, external facilities and clinicians outside the practice, as appropriate, when the office is closed. Access to medical records may include direct access to a paper or electronic record or arranging a telephone consultation with a clinician who has access to the medical record.</p> | <ul style="list-style-type: none"> • Documented process <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

AC Competency B

| AC 13 (1 Credit) Panel Size Review and Management: Reviews and actively manages panel sizes. | |
|--|---|
| GUIDANCE | EVIDENCE |
| <p>The practice has a process to review the number of patients assigned to each clinician and balance the size of each providers' patient panel.</p> <p>Reviewing and balancing patient panels facilitates improved patient satisfaction, patient access to care and provider workload because supply is balanced with patient demand.</p> <p>The American College of Family Physicians provides a tool for practices to use when considering and managing panel sizes: http://www.aafp.org/fpm/2007/0400/p44.pdf</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Report <div style="text-align: center;">  <p><i>Documented process only</i></p> </div> |
| AC 14 (1 Credit) External Panel Review and Reconciliation: Reviews and reconciles panels based on health plan or other outside patient assignments. | |
| GUIDANCE | EVIDENCE |
| <p>The practice receives reports from outside entities such as health plans, ACOs and Medicaid agencies on the patients that are attributed to each clinician. The practice has a process to review the reports and a process to inform those entities of the patients known or not known to be under the care of each clinician.</p> <p>Reconciling panels with health plans and other entities improves accountability, continuity and access.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center;">  <p><i>Documented process only</i></p> </div> |

[Table of Contents](#)



= Evidence sharable across practice sites


Care Management and Support (CM)

The practice identifies patient needs at the individual and population levels to effectively plan, manage and coordinate patient care in partnership with patients/families/caregivers. Emphasis is placed on supporting patients at highest risk.

Competency A: The practice systematically identifies patients who may benefit from care management.

CM 01 (Core) Identifying Patients for Care Management: Considers the following when establishing a systematic process and criteria for identifying patients who may benefit from care management (practice must include at least three in its criteria):

- A. Behavioral health conditions.
- B. High cost/high utilization.
- C. Poorly controlled or complex conditions.
- D. Social determinants of health.
- E. Referrals by outside organizations (e.g., insurers, health system, ACO), practice staff, patient/family/caregiver.


| GUIDANCE | EVIDENCE |
|--|--|
| <p>The practice defines a protocol to identify patients who may benefit from care management. Specific guidance includes the categories or conditions listed in A–E. Examples include, but are not limited to:</p> <ul style="list-style-type: none"> A. Diagnosis of a serious mental illness, psychiatric hospitalizations, substance use treatment. B. Patients who experience multiple ER visits, hospital readmissions, high total cost of care, unusually high numbers of imaging or lab tests ordered, unusually high number of prescriptions, high-cost medications and number of secondary specialist referrals. C. Patients with poorly controlled or complex conditions such as, continued abnormally high A1C or blood pressure results, consistent failure to meet treatment goals, multiple comorbid conditions. D. Availability of resources such as food and transportation to meet daily needs; access to educational, economic and job opportunities; public safety; social support; social norms and attitudes; exposure to crime, violence and social disorder; socioeconomic conditions; residential segregation (Healthy People 2020). E. Direct identification of patients who might need care management such as, referrals made from health plans, practice staff, patient, family members, or caregivers. | <ul style="list-style-type: none"> • Protocol for identifying patients for care management <p>OR</p> <ul style="list-style-type: none"> • CM 03  |

[Table of Contents](#)



= Evidence sharable across practice sites

CM Competency A

| CM 02 (Core) Monitoring Patients for Care Management: Monitors the percentage of the total patient population identified through its process and criteria. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>The practice determines its subset of patients for care management, based on the patient population and the practice's capacity to provide services. The practice uses the criteria defined in CM 01 to identify patients who fit defined criteria. The practice must identify at least 30 patients in the numerator. Patients who fit multiple criteria count once in the numerator. Small practices or satellite sites may share a care management population if less than 30 patients meet the criteria defined in CM 01.</p> | <ul style="list-style-type: none"> • Report |
| CM 03 (2 Credits) Comprehensive Risk-Stratification Process: Applies a comprehensive risk-stratification process for the entire patient panel in order to identify and direct resources appropriately. | |
| GUIDANCE | EVIDENCE |
| <p>The practice demonstrates that it can identify patients who are at high risk, or likely to be at high risk, and prioritize their care management to prevent poor outcomes. Practice identifies and directs resources appropriately based on need.</p> | <ul style="list-style-type: none"> • Report <div style="text-align: center;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

CM Competency B

Competency B: For patients identified for care management, the practice consistently uses patient information and collaborates with patients/families/ caregivers to develop a care plan that addresses barriers and incorporates patient preferences and lifestyle goals documented in the patient's chart.

| CM 04 (Core) Person-Centered Care Plans: Establishes a person-centered care plan for patients identified for care management. | |
|---|---|
| GUIDANCE | EVIDENCE |
| <p>The practice has a process to consistently develop patient care plans for the patients identified for care management. To ensure that a care plan is meaningful, realistic and actionable, the practice involves the patient in the plan's development, which includes discussions about goals (e.g., patient function/life style, goal feasibility and barriers) and considers patient preferences.</p> <p>The care plan incorporates a problem list, expected outcome/ prognosis, treatment goals, medication management and a schedule to review and revise the plan, as needed. The care plan may also address community and/or social services.</p> <p>The practice updates the care plan at relevant visits. A relevant visit addresses an aspect of care that could affect progress toward meeting existing goals or require modification of an existing goal.</p> | <ul style="list-style-type: none"> • Report <p>OR</p> <ul style="list-style-type: none"> • Record Review Workbook <i>and</i> • Patient examples |
| CM 05 (Core) Written Care Plans: Provides a written care plan to the patient/family/caregiver for patients identified for care management. | |
| GUIDANCE | EVIDENCE |
| <p>The practice provides the patient's written care plan to the patient/family/caregiver. The practice may tailor the written care plan to accommodate the patient's health literacy and language preference. (i.e., the patient version may use different words or formats from the version used by the practice team).</p> | <ul style="list-style-type: none"> • Report <p>OR</p> <ul style="list-style-type: none"> • Record Review Workbook <i>and</i> • Patient examples |

[Table of Contents](#)



= Evidence sharable across practice sites

CM Competency B


| CM 06 (1 Credit) Patient Preferences and Goals: Documents patient preference and functional/lifestyle goals in individual care plans. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>The practice works with patients/families/caregivers to incorporate patient preferences and functional lifestyle goals in the care plan. Including patient preferences and goals encourages a collaborative partnership between patient/family/caregiver and provider, and ensures that patients are active participants in their care.</p> <p>Functional/lifestyle goals can be individually meaningful activities that a person wants to be able to perform but may be at risk due to a health condition or treatment plan. Identifying patient-centered functional/lifestyle goals is important because people are likely to make the greatest gains when goals focus on activities that are meaningful to them and can make a positive difference in their lives.</p> | <ul style="list-style-type: none"> • Report OR • Record Review Workbook and • Patient examples |
| CM 07 (1 Credit) Patient Barriers to Goals: Identifies and discusses potential barriers to meeting goals in individual care plans. | |
| GUIDANCE | EVIDENCE |
| <p>Addressing barriers supports successful completion of the goals stated in the care plan. Barriers may include physical, emotional or social barriers. The practice works with patients/families/caregivers, other providers and community resources to address potential barriers to achieving treatment and functional/ lifestyle goals.</p> | <ul style="list-style-type: none"> • Report OR • Record Review Workbook and • Patient examples |

[Table of Contents](#)



= Evidence sharable across practice sites

CM Competency B



| CM 08 (1 Credit) Self-Management Plans: Includes a self-management plan in individual care plans. | |
|--|---|
| GUIDANCE | EVIDENCE |
| <p>The practice works with patients/families/ caregivers to develop self-management instructions to manage day-to-day challenges of a complex condition. The plan may include best practices or supports for managing issues related to a complex condition identified in the care plan. Providing tools and resources to self-manage complex conditions can empower patients to become more involved in their care and to use the tools to address barriers toward meeting care plan goals.</p> | <ul style="list-style-type: none"> • Report OR • Record Review Workbook <i>and</i> • Patient examples |
| CM 09 (1 Credit) Care Plan Integration: Care plan is integrated and accessible across settings of care. | |
| GUIDANCE | EVIDENCE |
| <p>Sharing the care plan supports its implementation across all settings that address the patient's care needs. The practice makes the care plan accessible across external care settings. It may be integrated into a shared electronic medical record, information exchange or other cross-organization sharing tool or arrangement.</p> | <ul style="list-style-type: none"> • Documented process AND • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

CC Competency A



| CC 02 (1 Credit) Newborn Screenings: Follows up with the inpatient facility about newborn hearing and blood-spot screening. | |
|---|---|
| GUIDANCE | EVIDENCE |
| <p>The practice follows up with the hospital or state health department if it does not receive screening results.</p> <p>Most states mandate that birthing facilities perform a blood-spot test to screen for congenital conditions (based on recommendations by the American Academy of Pediatrics and the American College of Medical Genetics) and a hearing screening on all newborns. Early detection and treatment of congenital disorders can enhance health outcomes for newborns with positive (abnormal) screening results.</p> <p>Practices that do not see newborn patients are not eligible for this elective criterion.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="display: flex; align-items: center;">  <p><i>Documented process only</i></p> </div> |
| CC 03 (2 Credits) Appropriate Use for Labs and Imaging: Uses clinical protocols to determine when imaging and lab tests are necessary. | |
| GUIDANCE | EVIDENCE |
| <p>Redundant or inappropriate use of imaging or lab tests leads to unnecessary costs and risks and does not enhance patient outcomes. The practice has established clinical protocols, based on evidence-based guidelines, to determine when imaging and lab tests are necessary. The practice may implement clinical decision supports to ensure that protocols are used (e.g., embedded in order entry system).</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="display: flex; align-items: center;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

CC Competency B



| CC 04 (Core) Referral Management: <i>continued</i> | |
|--|--|
| GUIDANCE | EVIDENCE |
| <ul style="list-style-type: none"> • Clinical findings and current treatment. • Follow-up communication or information. <p>Including the referring primary care clinician's care and treatment plan in the referral, in addition to test results/procedures, can reduce conflicts and duplication of services, tests or treatment. If the practice sends the primary care plan with the referral, the specialist can develop a corresponding specialty plan of care. Ideally, the primary care plan, developed in collaboration with the patient/family/caregiver, is coordinated with the specialty plan of care, created in collaboration with the patient/family/caregiver and primary care.</p> <p>C. A tracking process includes the date when a referral was initiated and the timing indicated for receiving the report. If the specialist does not send a report, the practice contacts the specialist's office and documents its effort to retrieve the report in a log or an electronic system.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <p style="text-align: center;"> Documented process only</p> |
| CC 05 (2 Credits) Appropriate Referrals: Uses clinical protocols to determine when a referral to a specialist is necessary. | |
| GUIDANCE | EVIDENCE |
| <p>The practice uses clinical protocols or decision support tools to determine if a patient needs to be seen by a specialist or if care can be addressed or managed by the primary care clinician. Unnecessary referrals can lead to overuse of tests and services, increase patient dissatisfaction and reduce accessibility to specialists when needed.</p> | <ul style="list-style-type: none"> • Evidence of implementation <p style="text-align: center;"></p> |

[Table of Contents](#)



= Evidence sharable across practice sites

CC Competency B

| CC 06 (1 Credit) Commonly Used Specialists Identification: Identifies the specialists/specialty types frequently used by the practice. | |
|--|---|
| GUIDANCE | EVIDENCE |
| <p>The practice monitors patient referrals to gain information about the referral specialists and specialty types it uses frequently. This information may help identify areas where the practice can adopt guidelines or protocols to manage patient care in the primary care practice, identify trends in the patient population, and can help identify opportunities for improved coordination and patient experience when specialty care is needed.</p> | <ul style="list-style-type: none"> • Evidence of implementation |
| CC 07 (2 Credits) Performance Information for Specialist Referrals: Considers available performance information on consultants/specialists when making referrals. | |
| GUIDANCE | EVIDENCE |
| <p>It is important for the practice to make informed referrals to clinicians or practices that will provide timely, high-quality care. The practice consults available information about the performance of clinicians or practices to which it refers patients. The practice provides information or examples of the available performance data on the consultant/specialist with the practice team. Information gathered in CC 11 may be useful in this assessment of consultants/specialists.</p> | <ul style="list-style-type: none"> • Data source AND • Examples <div style="text-align: center; margin-top: 10px;">  </div> |
| CC 08 (1 Credit) Specialist Referral Expectations: Works with nonbehavioral healthcare specialists to whom the practice frequently refers to set expectations for information sharing and patient care. | |
| GUIDANCE | EVIDENCE |
| <p>Relationships between primary care practitioners and specialists support a coordinated, safe, high-quality care experience for patients. The practice has established relationships with nonbehavioral healthcare specialists through formal or informal agreements that establish expectations for exchange of information (e.g., frequency, timeliness, content).</p> | <ul style="list-style-type: none"> • Documented process OR • Agreement <div style="text-align: center; margin-top: 10px;">  </div> |


[Table of Contents](#)




= Evidence sharable across practice sites

CC Competency B

CC 09 (2 Credits) Behavioral Health Referral Expectations: Works with behavioral healthcare providers to whom the practice frequently refers to set expectations for information sharing and patient care.

| GUIDANCE | EVIDENCE |
|---|--|
| <p>Relationships between primary care practitioners and specialists support consistency of information shared across practices. The practice has established relationships with behavioral healthcare providers through formal or informal agreements that establish expectations for exchange of information (e.g., frequency, timeliness, content).</p> <p>A practice needs an agreement if it shares the same facility or campus as behavioral health professionals, but has separate systems (basic onsite collaboration). A practice may present existing internal processes as its agreement if there is partial integration of behavioral healthcare services.</p> <p>To receive credit for the criterion, the practice must show evidence across patients in a report, log or electronic tracking system. A notification demonstrating legal inability to receive a report that includes confirmation a behavioral health visit occurred meets the requirement.</p> | <ul style="list-style-type: none"> • Agreement <p>OR</p> <ul style="list-style-type: none"> • Documented process <i>and</i> • Evidence of implementation  |



CC 10 (2 Credits) Behavioral Health Integration: Integrates behavioral healthcare providers into the care delivery system of the practice site.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>Behavioral health integration includes care settings that have merged to provide behavioral health services and care coordination at a single practice setting. This is more involved than co-location of practices, because all providers work together to integrate patients' primary care and behavioral health needs, have shared accountability and collaborative treatment and workflow strategies.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation  <p><i>Documented process only</i></p> |

[Table of Contents](#)

 = Evidence sharable across practice sites

CC Competency B

| CC 11 (1 Credit) Referral Monitoring: Monitors the timeliness and quality of the referral response. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The practice assesses the response received from the consulting/specialty provider and evaluates whether the response was timely and provided appropriate information about the patient’s diagnosis and treatment plan. The practice bases its definition of “timely” on patient need. On-going assessment and referral monitoring may be helpful in CC 07.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Report <div style="text-align: center;">  <p><i>Documented process only</i></p> </div> |
| CC 12 (1 Credit) Co-Management Arrangements: Documents co-management arrangements in the patient’s medical record. | |
| GUIDANCE | EVIDENCE |
| <p>When a particular specialist regularly treats a patient, the primary care clinician and the specialist enter into an agreement that enables safe and efficient co-management of the patient’s care. Under the agreement, the primary care clinician and specialist share changes in the treatment plan and patient health status, in addition to entering information in the medical record within an agreed-on time frame. The practice must provide three examples of such arrangements to meet the criterion.</p> | <ul style="list-style-type: none"> • Evidence of implementation |
| CC 13 (2 Credits) Treatment Options and Costs: Engages with patients regarding cost implications of treatment options. | |
| GUIDANCE | EVIDENCE |
| <p>Cost can play a major role in a patient’s drug and treatment adherence; the practice understands this and talks to patients about treatment costs (e.g., adds a financial question to the clinical intake screening [do you have trouble affording the care or prescriptions prescribed? Y/N], directs patients to resources such as copay and prescription assistance programs; the clinician asks about prescription drug coverage, tells patients which services are critical and should not be skipped, recommends less expensive options, if appropriate).</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center;">  <p><i>Documented process only</i></p> </div> |




[Table of Contents](#)



= Evidence sharable across practice sites

CC Competency C

Competency C: The practice connects with health care facilities to support patient safety throughout care transitions. The practice receives and shares necessary patient treatment information to coordinate comprehensive patient care.




| CC 14 (Core) Identifying Unplanned Hospital and ED Visits: Systematically identifies patients with unplanned hospital admissions and emergency department visits. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>The practice should develop a process for monitoring unplanned admissions and emergency department visits and states how often monitoring takes place. The practice works with local hospitals, EDs and health plans to identify patients with recent unplanned visits. The practice provides a report with the proportion of local admissions and ED visits (reported separately) to facilities where practices have an established notification exchange mechanism.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Report <div style="text-align: center; margin-top: 10px;">  <p><i>Documented process only</i></p> </div> |
| CC 15 (Core) Sharing Clinical Information: Shares clinical information with admitting hospitals and emergency departments. | |
| GUIDANCE | EVIDENCE |
| <p>The practice demonstrates timely sharing of information with admitting hospitals and emergency departments. Shared information supports continuity in patient care across settings. The practice provides three examples to meet the criterion.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  <p><i>Documented process only</i></p> </div> |
| CC 16 (Core) Post-Hospital/ED visit Follow-Up: Contacts patients/families/caregivers for follow-up care, if needed, within an appropriate period following a hospital admission or emergency department visit. | |
| GUIDANCE | EVIDENCE |
| <p>The practice contacts patients to evaluate their status after discharge from an ED or hospital, and to make a follow-up appointment, if appropriate.</p> <p>The practice's policies define the appropriate contact period in addition to a log documenting systematic follow-up was completed. Contact includes offering care to prevent worsening of a condition, clarify discharge instructions and encouraging follow-up care, which may include, but is not limited to, physician counseling, referrals to community resources and disease or case management or self-management support programs.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of follow-up <div style="text-align: center; margin-top: 10px;">  <p><i>Documented process only</i></p> </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

CC Competency C

| CC 17 (1 Credit) Acute Care After Hours Coordination: Systematic ability to coordinate with acute care settings after office hours through access to current patient information. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>The practice has a process to coordinate with acute care facilities when a patient is seen after the office is closed. Sharing patient information allows the facility to coordinate patient care based on current health needs and engage with practice staff. The practice provides at least one example of coordination with the facility.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  <p><i>Documented process only</i></p> </div> |
| CC 18 (1 Credit) Information Exchange during Hospitalization: Exchanges patient information with the hospital during a patient’s hospitalization. | |
| GUIDANCE | EVIDENCE |
| <p>The practice demonstrates that it can send and receive patient information during the patient’s hospitalization. The practice provides at least three examples of the data exchange to meet the criterion.</p> <p><i>Note: CC15 assesses the practice’s ability to share information, but the focus of CC18 is two-way exchange of information.</i></p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  <p><i>Documented process only</i></p> </div> |
| CC 19 (1 Credit) Patient Discharge Summaries: Implements a process to consistently obtain patient discharge summaries from the hospital and other facilities. | |
| GUIDANCE | EVIDENCE |
| <p>The practice has a process for actively attempting to receive patient discharge summaries. The process may include a local database or active outreach to ensure that the practice is notified when a patient is discharged from a hospital or other care facility. The practice provides the process for obtaining the summaries and at least three examples of obtaining the discharge summary or demonstrates participation in a local admission, discharge, transfer (ADT) system.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 10px;">  <p><i>Documented process only</i></p> </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

CC Competency C

CC 20 (1 Credit) Care Plan Collaboration for Practice Transitions: Collaborates with the patient/family/caregiver to develop/implement a written care plan for complex patients transitioning into/out of the practice (e.g., from pediatric care to adult care).

| GUIDANCE | EVIDENCE |
|--|---|
| <p>The practice involves the patient/family/caregiver in the development or implementation of a written care plan for young adults and adolescent patients with complex needs transitioning to adult care. The written care plan may include:</p> <ul style="list-style-type: none"> • A summary of medical information (e.g., history of hospitalizations, procedures, tests). • A list of providers, medical equipment and medications for patients with special health care needs. • Obstacles to transitioning to an adult care clinician. • Special care needs. • Information provided to the patient about the transition of care. • Arrangements for release and transfer of medical records to the adult care clinician. • Patient response to the transition. • Patient transition plan. <p>Internal medicine practices receiving patients from pediatricians are expected to request/review the transition plan provided by pediatric practices or develop a plan if one is not provided to support a smooth and safe transition.</p> <p>For family medicine practices that do not transition patients from pediatric to adult care, should still educate patients and families about ways in which their care experience may change as the patient moves into adulthood. Sensitivity to privacy concerns should be incorporated into messaging.</p> | <ul style="list-style-type: none"> • Evidence of implementation |

[Table of Contents](#)




= Evidence sharable across practice sites

CC Competency C

CC 21 (Maximum 3 Credits) External Electronic Exchange of Information: Demonstrates electronic exchange of information with external entities, agencies and registries (May select one or more):

- A. Regional health information organization or other health information exchange source that enhances the practice’s ability to manage complex patients. (1 Credit)
- B. Immunization registries or immunization information systems. (1 Credit)
- C. Summary of care record to another provider or care facility for care transitions. (1 Credit)

| GUIDANCE | EVIDENCE |
|---|--|
| <p>The practice utilizes an electronic system to exchange patient health record data and other clinical information with external organizations. Exchange of data across organizations supports enhanced coordination of patient care.</p> <p>Practices can demonstrate this by:</p> <ul style="list-style-type: none"> A. Exchanging patient medical record information to facilitate care management of patients with complex conditions or care needs. B. Submitting electronic data to immunization registries to share immunization services provided to patients. C. Making the summary of care record accessible to another provider or care facility for care transitions. <p>Practices may provide the required evidence for each of the criteria options for up to a total of 3 credits. Each option is part of CC 21 but is listed separately in Q-PASS for scoring purposes.</p> | <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

Performance Measurement and Quality Improvement (QI)

The practice establishes a culture of data-driven performance improvement on clinical quality, efficiency and patient experience, and engages staff and patients/families/caregivers in quality improvement activities.

Competency A: The practice measures to understand current performance and to identify opportunities for improvement.

QI 01 (Core) Clinical Quality Measures: Monitors at least five clinical quality measures across the four categories (must monitor at least one measure of each type):

- A. Immunization measures.
- B. Other preventive care measures.
- C. Chronic or acute care clinical measures.
- D. Behavioral health measures.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>Measuring and reporting clinical quality measures helps practices deliver safe, effective, patient-centered and timely care. The practice shows that it monitors at least five clinical quality measures, including at least:</p> <ul style="list-style-type: none"> • One immunization measure. • One preventive care measure (not including immunizations). <ul style="list-style-type: none"> – A measure on oral health counts as a preventive clinical quality measure. • One chronic or acute care clinical measure. • One behavioral health measure. <p>The data must include the measurement period, the number of patients represented by the data, the rate and the measure source (e.g. HEDIS, NQF #, measure guidance).</p> | <ul style="list-style-type: none"> • Report |

QI 02 (Core) Resource Stewardship Measures: Monitors at least two measures of resource stewardship (must monitor at least 1 measure of each type):

- A. Measures related to care coordination.
- B. Measures affecting health care costs.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>The practice reports at least two measures related to resource stewardship, including a measure related to health care cost and a measure related to care coordination. When pursuing high-quality, cost-effective outcomes, the practice has a responsibility to consider how it uses resources.</p> | <ul style="list-style-type: none"> • Report |


[Table of Contents](#)



= Evidence sharable across practice sites

QI Competency A

QI 03 (Core) Appointment Availability Assessment: Assesses performance on availability of major appointment types to meet patient needs and preferences for access.

| GUIDANCE | EVIDENCE |
|--|--|
| <p>Patients who cannot get a timely appointment with their primary care provider may seek out-of-network care, facing potentially higher costs and treatment from a provider who does not know their medical history. The practice consistently reviews the availability of major appointment types (e.g., urgent care, new patient, routine exams, follow-up) to ensure that it meets the needs and preferences of its patients, and adjusts appointment availability, if necessary (e.g., seasonal changes, shifts in patient needs, practice resources).</p> <p>A common approach to measuring appointment availability against standards is to determine the third next available appointment for each appointment type.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Report <div style="text-align: center; margin-top: 10px;">  <p><i>Documented process only</i></p> </div> |

QI 04 (Core) Patient Experience Feedback: Monitors patient experience through:

A. Quantitative data. Conducts a survey (using any instrument) to evaluate patient/family/caregiver experiences across at least three dimensions such as:

- Access.
- Communication.
- Coordination.
- Whole-person care, self-management support and comprehensiveness.

B. Qualitative data. Obtains feedback from patients/families/caregivers through qualitative means.

| GUIDANCE | EVIDENCE |
|--|--|
| <p>The practice gathers feedback from patients and provides summarized results to inform quality improvement activities. Patient feedback must represent the practice population (including all relevant subpopulations) and may not be limited to patients of one clinician (of several), or to data from one payer (of several).</p> <p>A. The practice (directly or through a survey vendor) conducts a patient survey to assess the patient/family/caregiver experience with the practice. The patient survey may be conducted as a written questionnaire (paper or electronic) or by telephone, and includes questions related to at least three of the following categories:</p> <ul style="list-style-type: none"> • Access (may include routine, urgent and after-hours care). • Communication with the practice, clinicians and staff (may include “feeling respected and listened to” and “able to get answers to questions”). | <ul style="list-style-type: none"> • Report |

[Table of Contents](#)

 = Evidence sharable across practice sites

QI Competency A


| QI 04 (Core) Patient Experience Feedback: <i>continued</i> | |
|---|--|
| GUIDANCE | EVIDENCE |
| <ul style="list-style-type: none"> • Coordination of care (may include being informed and up to date on referrals to specialists, changes in medications and lab or imaging results). • Whole-person care/self-management support (may include provision of comprehensive care and self-management support; emphasizing the spectrum of care needs, such as mental health, routine and urgent care, advice, assistance and support for changing health habits and making health care decisions). <p>B. Qualitative methods (e.g., focus groups, individual interviews, patient walkthrough, suggestion box) are another opportunity to obtain feedback from patients. The practice may use a feedback methodology conducive to its patient population, such as “virtual” (e.g., telephone, videoconference) participation. Comments collected on surveys used to satisfy QI 04A do not meet this requirement.</p> | <ul style="list-style-type: none"> • Report |
| QI 05 (1 Credit) Health Disparities Assessment: Assesses health disparities using performance data stratified for vulnerable populations (must choose one from each section): | |
| <p>A. Clinical quality.</p> <p>B. Patient experience.</p> | |
| GUIDANCE | EVIDENCE |
| <p>The practice stratifies performance data by race and ethnicity or by other indicators of vulnerable groups that reflect the practice’s population demographics (e.g., age, gender, language needs, education, income, type of insurance [Medicare, Medicaid, commercial], disability, health status).</p> <p>The intent of this criteria is for practices to work towards eliminating disparities in health and delivery of health care for their vulnerable patient populations.</p> <p>Vulnerable populations are “those who are made vulnerable by their financial circumstances or place of residence, health, age, personal characteristics, functional or developmental status, ability to communicate effectively, and presence of chronic illness or disability,” (AHRQ).</p> | <ul style="list-style-type: none"> • Report OR • Quality Improvement Worksheet |

[Table of Contents](#)



= Evidence sharable across practice sites

QI Competency A

| QI 06 (1 Credit) Validated Patient Experience Survey Use: The practice uses a standardized, validated patient experience survey tool with benchmarking data available. | |
|--|--|
| GUIDANCE | EVIDENCE |
| <p>The practice uses the standardized survey tool to collect patient experience data and inform its quality improvement activities.</p> <p>The intent is for the practice to administer a survey that can be benchmarked externally and compared across practices.</p> <p>The practice may use standardized tools such as the Consumer Assessment of Healthcare Providers and Systems (CAHPS) PCMH survey, CAHPS-CG or another standardized survey administered through measurement initiatives providing benchmark analysis external to the practice organization. It may not be a proprietary instrument. The practice must administer the entire approved standardized survey (not sections of the survey) to receive credit.</p> | <ul style="list-style-type: none"> • Report <div style="text-align: center; margin-top: 20px;">  </div> |
| QI 07 (2 Credits) Vulnerable Patient Feedback: The practice obtains feedback on experiences of vulnerable patient groups. | |
| GUIDANCE | EVIDENCE |
| <p>The practice should identify a vulnerable group in their patient population where there is evidence of disparities of care or service. The practice then obtains patient feedback from representatives of that group to support quality improvement initiatives at the practice.</p> | <ul style="list-style-type: none"> • Report |

[Table of Contents](#)



= Evidence sharable across practice sites

QI Competency B

Competency B: The practice evaluates its performance against goals or benchmarks and uses the results to prioritize and implement improvement strategies.

QI 08 (Core) Goals and Actions to Improve Clinical Quality Measures: Sets goals and acts to improve upon at least three measures across at least three of the four categories:

- A. Immunization measures.
- B. Other preventive care measures.
- C. Chronic or acute care clinical measures.
- D. Behavioral health measures.

| GUIDANCE | EVIDENCE |
|---|---|
| <p>Review and evaluation offer an opportunity to identify and prioritize areas for improvement, analyze potential barriers to meeting goals and plan methods for addressing the barriers. The practice has an ongoing quality improvement strategy and process that includes regular review of performance data and evaluation of performance against goals or benchmarks.</p> <p>Measures selected for improvement are chosen from the set of measures identified in QI 01. The goal is for the practice to reach a desired level of achievement based on a self-identified standard of care.</p> <p>The practice may participate in or implement a rapid-cycle improvement process, such as Plan-Do-Study-Act (PDSA), that represents a commitment to ongoing quality improvement. The Institute for Healthcare Improvement is a resource for the PDSA cycle (http://www.ihl.org/IHI/Topics/Improvement/Improvement Methods/HowToImprove/).</p> | <ul style="list-style-type: none"> • Report <p>OR</p> <ul style="list-style-type: none"> • Quality Improvement Worksheet |

[Table of Contents](#)



= Evidence sharable across practice sites

QI Competency B

QI 09 (Core) Goals and Actions to Improve Resource Stewardship Measures: Sets goals and acts to improve performance on at least one measure of resource stewardship:

- A. Measures related to care coordination.
- B. Measures affecting health care costs.

| GUIDANCE | EVIDENCE |
|---|---|
| <p>The practice has an ongoing quality improvement strategy and process that includes regular review of performance data and evaluation of performance against goals or benchmarks. Review and evaluation offer an opportunity to identify and prioritize areas for improvement, analyze potential barriers to meeting goals and plan methods for addressing the barriers.</p> <p>Measures selected for improvement may be chosen from the same set of measures identified in QI 02. The goal is for the practice to reach a desired level of achievement based on its self-identified standard of care.</p> <p>The practice may participate in or implement a rapid-cycle improvement process, such as Plan-Do-Study-Act (PDSA), that represents a commitment to ongoing quality improvement. The Institute for Healthcare Improvement is a resource for the PDSA cycle (http://www.ihl.org/IHI/Topics/Improvement/ImprovementMethods/HowToImprove/).</p> | <ul style="list-style-type: none"> • Report <p>OR</p> <ul style="list-style-type: none"> • Quality Improvement Worksheet |

QI 10 (Core) Goals and Actions to Improve Appointment Availability: Sets goals and acts to improve on availability of major appointment types to meet patient needs and preferences.

| GUIDANCE | EVIDENCE |
|--|---|
| <p>Knowing that a variety of factors (e.g., season, patient need, practice resource) can affect appointment availability, the practice can adjust to meet patient preferences and needs. After assessing performance on the availability of common appointment types (QI 03), the practice sets goals and acts to improve on availability. The goal is for the practice to reach a desired level of achievement based on its self-identified standard of care.</p> | <ul style="list-style-type: none"> • Report <p>OR</p> <ul style="list-style-type: none"> • Quality Improvement Worksheet |

[Table of Contents](#)



= Evidence sharable across practice sites

QI Competency B

| QI 11 (Core) Goals and Actions to Improve Patient Experience: Sets goals and acts to improve performance on at least one patient experience measure. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>After assessing performance on at least one patient experience measure (QI 04), the practice demonstrates that it set a goal for improving patients' experience of care and is working to meet the stated goal. The practice acts to reach a desired level of achievement based on its self-identified standard of care.</p> | <ul style="list-style-type: none"> • Report OR • Quality Improvement Worksheet |
| QI 12 (2 Credits) Improved Performance: Achieves improved performance on at least two performance measures. | |
| GUIDANCE | EVIDENCE |
| <p>The practice demonstrates that it has improved performance on at least two measures. Demonstration of improvement is determined by the goals set in QI 08, QI 09 or QI 11.</p> | <ul style="list-style-type: none"> • Report OR • Quality Improvement Worksheet |
| QI 13 (1 Credit) Goals and Actions to Improve Disparities in Care/Service: Sets goals and acts to improve disparities in care or services on at least one measure. | |
| GUIDANCE | EVIDENCE |
| <p>The practice identifies health disparities in care or services among vulnerable populations. The practice sets goals and acts to improve performance. After assessing performance on the disparities in care (QI 05), the practice sets goals and acts to improve on care or service.</p> | <ul style="list-style-type: none"> • Report OR • Quality Improvement Worksheet |
| QI 14 (2 Credits) Improved Performance for Disparities in Care/Service: Achieves improved performance on at least one measure of disparities in care or service. | |
| GUIDANCE | EVIDENCE |
| <p>The practice demonstrates that it has improved performance on at least one measure related to disparities in care or service. Demonstration of improvement is determined by the goals set in QI 13.</p> | <ul style="list-style-type: none"> • Report OR • Quality Improvement Worksheet |




[Table of Contents](#)



= Evidence sharable across practice sites

QI Competency C

Competency C: The practice is accountable for performance. The practice shares performance data with the practice, patients and/or publicly for the measures and patient populations identified in the previous section.



| QI 15 (Core) Reporting Performance within the Practice: Reports practice-level or individual clinician performance results within the practice for measures reported by the practice. | |
|---|--|
| GUIDANCE | EVIDENCE |
| <p>The practice provides individual clinician or practice level reports to clinicians and practice staff. Reports reflect the care provided by the care team. Performance results reflect care provided to all patients in the practice (relevant to the measure), not only patients covered by a specific payer.</p> <p>The practice may use data that it produces or data provided by affiliated organizations, such as a larger medical group, individual practice association or health plan.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  <p><i>Documented process only</i></p> </div> |
| QI 16 (1 Credit) Reporting Performance Publicly or with Patients: Reports practice-level or individual clinician performance results publicly or with patients for measures reported by the practice. | |
| GUIDANCE | EVIDENCE |
| <p>The practice shares individual clinician or practice level reports with patients and the public. Reports reflect the care provided by the care team. Performance results reflect care provided to all patients in the practice (relevant to the measure), not only patients covered by a specific payer.</p> <p>The practice may use data that it produces or data provided by affiliated organizations, such as a larger medical group, individual practice association or health plan.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  <p><i>Documented process only</i></p> </div> |
| QI 17 (2 Credits) Patient/Family/Caregiver Involvement in Quality Improvement: Involves patient/family/caregiver in quality improvement activities. | |
| GUIDANCE | EVIDENCE |
| <p>The practice has a process for involving patients and their families in its quality improvement efforts or on the practice's patient advisory council (PFAC). At a minimum, the process specifies how patients and families are selected, their role on the quality improvement team and the frequency of team/PFAC meetings.</p> <p>The ongoing inclusion of patients/families/caregivers in quality improvement activities provides the voice of the patient to patient-centered care.</p> | <ul style="list-style-type: none"> • Documented process <p>AND</p> <ul style="list-style-type: none"> • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites

QI Competency C

| QI 18 (2 Credits) Reporting Performance Measures to Medicare/Medicaid: Reports clinical quality measures to Medicare or Medicaid agency. | |
|--|---|
| GUIDANCE | EVIDENCE |
| <p>The practice demonstrates that it reports a minimum number of clinical quality measures to Medicare or to a state Medicaid agency:</p> <ul style="list-style-type: none"> • At least one immunization measure. • One preventive care measure (not including immunizations). • One chronic or acute care clinical measure. • One behavioral health measure. | <ul style="list-style-type: none"> • Evidence of submission <div style="text-align: center; margin-top: 20px;">  </div> |
| QI 19 (Maximum 2 Credits) Value-Based Contract Agreements: Is engaged in Value-Based Agreement. | |
| GUIDANCE | EVIDENCE |
| <p>A. Practice engages in upside risk contract (1 Credit). B. Practice engages in two-sided risk contract (2 Credits).</p> <p>The practice demonstrates it participates in a value-based program by providing information about their participation or a copy of agreement. Involvement in value-based contracts represent a shift from fee-for-service billing to compensating practices and providers for administering quality care for patients. Participation in these programs signals that a practice is willing to be accountable for the value of care provided rather than volume</p> <p>Upside Risk Contract: A value-based program where the clinician/practice receives an incentive for meeting performance expectations but do not share losses if costs exceed targets.</p> <p>Two-Sided Risk Contract: A value-based program where the clinician/practice incur penalties for not meeting performance expectations but receive incentives when the care requirements of the agreement are met. Expectations relate to quality and cost.</p> | <ul style="list-style-type: none"> • Agreement OR • Evidence of implementation <div style="text-align: center; margin-top: 20px;">  </div> |

[Table of Contents](#)



= Evidence sharable across practice sites